


York Shower Mixer With Divertor

Nero




Lead Free



Versions:202506

Drawing



Specifications

Watermark License

WM-060073

Temperature Rating

Min 1°C-Max 75°C

Pressure Rating

Min 150kpa - Max 500kpa

Finish & SKU

- CHROME WITH WHITE PORCELAIN LEVER
NR692109a01CH
- MATTE BLACK WITH WHITE PORCELAIN LEVER
NR692109a01MB
- AGED BRASS WITH WHITE PORCELAIN LEVER
NR692109a01AB
- BRUSHED NICKEL WITH WHITE PORCELAIN LEVER
NR692109a01BN
- CHROME WITH BLACK PORCELAIN LEVER
NR692109a03CH


Packaging Includes

- 1x Body Set
- 1x Handle
- 1x Plate
- 1x Diverter
- 1x Accessories Pouch


- CHROME WITH METAL LEVER
NR692109a02CH
- MATTE BLACK WITH METAL LEVER
NR692109a02MB
- AGED BRASS WITH METAL LEVER
NR692109a02AB
- BRUSHED NICKEL WITH METAL LEVER
NR692109a02BN

*Dimensions are nominal measurements only.


Installation Instruction



1. Fix body on noggin and ensure installation depth is 62-76mm from noggin to ceramic tile.
2. Connect cold water hose and hot water hose and test for leakage.
3. Install plasterboard and ceramic tile after drilling a $\phi 50$ and a $\phi 40$ hole according to the right drawing.



4. Remove the plastic sleeve and install sleeve of diverter.



5. Install plate, handle and knob.

Nero

